
Conditioning Exercises: Standing

Do all these exercises slowly. Do not hold your breath during these exercises. If unusual pain occurs in your joints or muscles while you are exercising, do not continue the exercise. Do only the exercises checked (\checkmark) below.

Do	each	exercise	times	, ti	imes a	a day.


☐ Toe Raises

Stand with your hands on your hips and your feet slightly apart. Rise up on your toes and return to your heels.



□ Shoulder Flexion

Stand with your feet slightly apart and your arms at your sides. Raise your arms over your head in front of you as far as you can. Lower your arms to your sides.




☐ Trunk Rotations

Stand with your hands on your hips and feet slightly apart. Turn your upper body and head toward the right and then turn back to the starting position. Turn toward the left and then back to the starting position.

☐ Hip / Knee Flexion

Stand with your feet slightly apart. Lift your right knee up to waist level. Return your foot to the floor. Repeat with your left leg.



☐ Shoulder Abduction

Stand with your feet slightly apart and you arms at your sides. Move your arms out from your side and up over your head. Return your arms to your sides.



☐ Trunk Lateral Flexion

Stand with your hands on your hips and your feet slightly apart. Bend to the right and then return to an upright position. Bend to the left and then return upright.




□ Hip Abduction

Hold onto a chair for balance. Move your leg out to the side then return to the starting position. Repeat with your other leg.



□ Shoulder Circles

Stand with your feet slightly apart. Raise your arms out to the side at shoulder level. Make arm circles forward and then backward.



5/2013Health Information Translations

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Wexner Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.